

Fullife Prescription Safety Eyewear 2023 2023

BPG Frames - Priced at \$30.00

GRXS36

Style

Frame Material: PC Impact

- TPR Rubber Brow Bar & Temples
- Flexible Nosepads
- Adjustable Length Temples





SIZE						COLORS	REPLACEMENT PARTS
A 59	B 40.70	DBL 16	CIRC 167.60	ED 64.40	TL 138	Clear UPC 193033068939 10700360.QTM	Nose Pad UPC 193033214466 10402476.QTM

EPG Frames - Priced at \$38.00







SIZE	\bigcirc	\triangleright	\bigcirc	χ	
56-18-140	56.00	36.30	55.60	18	140
59-18-145	59.00	38.10	58.60	18	145

MODEL 3002P

Standards: ANSI Z87.1 • CSA Z94.3

PERMANENT SIDE SHIELD ONLY





BROWN **MODEL 5001**

· Standards: ANSI Z87.1 · CSA Z94.3 (5001P only)

REMOVABLE SIDE SHIELD ORDER 5001R PERMANENT SIDE SHIELD ORDER 5001P



MODEL 5002

Standards: ANSI Z87.1 • CSA Z94.3 (5002P only)

REMOVABLE SIDE SHIELD ORDER 5001R PERMANENT SIDE SHIELD ORDER 5002P







· Standards: ANSI Z87.1 · CSA Z94.3


INTEGRATED SIDE PROTECTION











ONGUARD 071 🖁

· Material: Nickel Silver

ANSI Z87.1 | CSA Z94.3





140

Α	DBL	TMP	В	ED	Side Shields
52	18	140	39	56.7	205EZ - EZ Shiel
54	18	140	40	58.6	
56	18	140	42	61.2	

ONGUARD 085 🖁

Material: Monel

ANSI Z87.1 | CSA Z94.3





Α	DBL	TMP	В	ED	Side Shields
50	19	140	34	50.6	150EZ - EZ Shield™
52	19	140	35	52.7	
E4	10	1.45	20	E4.7	

ONGUARD 255S

- Material: Nylon
- Telescopic temples









ANSI Z87.1 C	SA Z	94.3
----------------	------	------

Α	DBL	TMP	В	ED	Side Shields
59	15	130/139	39	62.2	Integrated

FPG Frames - Priced at \$48.00

MODEL 4000

- · Integrated side protection
- Standards: ANSI Z87.1



INCLUDED









SIZE	57-16-1		nlululu	
\bigcirc		\oslash	χ	
57.45	34.20	60.10	16	125

MODEL 5003

Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE PROTECTION





MODEL 6008

- · Integrated side protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 CSA Z94.3
- · Dust Bar included







- · Integrated side protection
- Standards: ANSI Z87.1
- Non-conductive (no metal content)



MODEL 6018

- · Integrated side protection
- Standards: ANSI Z87.1





- · Stainless Steel
- Standards: ANSI Z87.1 CSA Z94.3 (7700P only)

.....

REMOVABLE SIDE SHIELD ORDER 7700R
PERMANENT SIDE SHIELD ORDER 7700P





SIZE	53-17-1	35		ուրորու
\Box		\bigcirc	X	
53.00	35.10	55.50	17	135

GRXS13

Style Features: Frame Material: TRNZZ w/ TR F11280 Side Shields

- Double Injected Temples & Logo
- Features: Adjustable Rubber Nosepads
 - Removable Inner Brow Gasket



SIZE						COLORS			REPLACEME	NT PARTS	
A 59	B 36.50	DBL 16	CIRC 159.00	ED 61.70	TL 122	Gloss Black UPC 193033069080 10700358.QTM	Gloss Navy UPC 193033069073 10700357.QTM	Gloss Brown UPC 193033082607 10700369.QTM		Brow Bar UPC 193033068960 10402309.QTM	Gray Nose Pad UPC 193033214473 10402477 OTM

ONGUARD 078

Material: Propionate







Α	DBL	TMP	В	ED	Side Shields
52 54	18 20	145 145	37 38	54.7 56.2	Application: foundry Attached Wire Mesh Side Shields

ANSI Z87.1 | CSA Z94.3

ONGUARD 2205 (DD WITH DUST DAM)

Material: Nylon

 Specially designed to fit a range of sizes from petite women to men
























EL-6



BLACK FADE

COLORS

GRAPHITE

SIZES

TEMPLE TIPS

SIDE SHIELD FEATURES

BLACK FADE BLACK/ORANGE

DE 54/18-137 PANGE 57/18-137 TT-51

PSS-33 IN CLEAR OR SMOKE ECONOMYLINE

BENDABLE TEMPLE TIPS

DUAL COLOR TEMPLES

EL-7



GRAPHITE

COLORS

GRAPHITE

SIZES

55/17-137

TEMPLE TIPS

TT-51

SIDE SHIELD FEATURES

BLACK FADE BLACK/ORANGE

VENETIAN RED

58/17-137

PSS-33 IN CLEAR ECONOMYLINE BENDABLE TEMPLE TIPS

OR SMOKE DUAL COLOR TEMPLES

H9 H9P



MATTE GREY

COLORS

SIZES

TEMPLE TIPS

SIDE SHIELD

FEATURES

BLACK FADE BLACK/ORANGE

52/17-138 56/17-138 N/A

PSS-33 IN CLEAR OR SMOKE NON-CONDUCTIVE H9P SAME AS H9 EXCEPT WITH PERMANENT SIDESHIELDS

CLEAR MATTE GREY VENETIAN RED

DPG Frames - Priced at \$58.00


MODEL 5005

Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE PROTECTION









- Stainless Steel
- Standards: ANSI Z87.1 CSA Z94.3 (7401P only)

REMOVABLE SIDE SHIELD ORDER 7401R PERMANENT SIDE SHIELD ORDER 7401P

















18

140

56-18-140

56.00

35.40

60.50

ONGUARD 225S

- Material: Nylon
- Removable full dust dam available (sold separately)
- Removable temple strap included
- Additional close-fit bridge included


















VL-9



SLATE

COLORS	SIZES	TEMPLE TIPS	SIDE SHIELD	FEATURES

BLACK BROWN SLATE 52/16-148 55/16-148 N/A

PSS-45 IN CLEAR OR SMOKE PLASTIC TEMPLES SPRING HINGES FACTORY ASSEMBLED

VL-10





BLACK FADE

COLORS	SIZES	TEMPLE TIPS	SIDE SHIELD	FEATURES	

BLACK/CRYSTAL BLACK FADE 52/17-148 55/17-148 N/A

PSS-45 IN CLEAR OR SMOKE ADJUSTABLE NOSE PADS SPRING HINGES FACTORY ASSEMBLED

W2



BLACK FADE

COLORS	SIZES	SIDE SHIELD	FEATURES
BLACK FADE	58/16-130	SS-52 IN CLEAR	SPRING HINGES PERMANENT SIDESHIELDS ATTACHED SOFT, ADJUSTABLE NOSE PADS BENDABLE TEMPLE TIPS
CLEAR	61/16-130	PERMANENTLY ATTACHED	

WЗ



CLEAR

COLORS	SIZES	SIDE SHIELD	FEATURES
BLACK FADE	58/16-130	SS-52 IN CLEAR	SPRING HINGES PERMANENT SIDESHIELDS ATTACHED SOFT, ADJUSTABLE NOSE PADS BENDABLE TEMPLE TIPS
CLEAR	61/16-130	PERMANENTLY ATTACHED	

PPG1 Frames - Priced at \$82.00

MODEL 6001

- · Integrated side protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 CSA Z94.3
- Cushion and Dust Bar accessories available

ACCESSORIES

AVAILABLE SEPARATELY









SIZE	62-16-1	25	

62.00

39.00

65.40

16

125











CRYSTAL


MODEL 7005

- Stainless Steel
- Standards: ANSI Z87.1 CSA Z94.3 (7005P only)

REMOVABLE SIDE SHIELD ORDER 7005R PERMANENT SIDE SHIELD ORDER 7005P







MODEL 7006

- · Stainless Steel
- Comfort Bridge
- Standards: ANSI Z87.1 CSA Z94.3 (7006P only)

REMOVABLE SIDE SHIELD ORDER 7006R PERMANENT SIDE SHIELD ORDER 7006P





SIZE"	\bigcirc		\bigcirc	π	
53-15-140	53.00	38.30	59.00	15	140
56-15-145	56.00	40.50	62.40	15	145

Style Features: Frame Material: Monel/Stainless

- Spring Hinges
- PC Impact Permanent Side Shields
- Foil Logo Nosepads





ONGUARD 140 🛂

- Material: Titanium
- Spring hinges
- Nickel free



Brown

Sideshields

ANSI Z87.1 | CSA Z94.3

A	DBL	IMP	В	ED	Side Shields
51	19	140	33	53.3	213EZ - EZ Shield™
53	19	145	34	55.6	

ONGUARD 144



- Material: Acetate
- Spring hinges

Black

ANSI Z87.1	CSA Z94.3



Α	DBL	TMP	В	ED	Side Shields
54	17	145	31	54.8	217EZ - EZ Shield™
56	17	145	32	57.4	

ONGUARD 220FS

- Material: Nylon
- Removable full eye seal protects against dust and dirt in extreme conditions
- Indirect venting improves airflow and reduces fogging
- Removable strap included







ANSI Z87.1 | CSA Z94.3

Α	DBL	TMP	В	ED	Side Shields
58	15	135	36	60.4	Integrated

ONGUARD 508



- Material: Stainless Steel
- Spring hinges

Black

DBL TMP ED Side Shields 55 18 130 34 57.1 508EZ - EZ Shield™ 57 18 35 59.2 130 59 18 130 36 61.3

Gold

ANSI Z87.1 | CSA Z94.3

DG-102



VENETIAN RED

Pewter

COLORS

SIZES

TEMPLE TIPS

SIDE SHIELD

FEATURES

AUBURN BLACK

VENETIAN RED

51/16-145 54/16-145 N/A PSS-45

IN CLEAR OR SMOKE PLASTIC DUAL COLOR TEMPLES SPRING HINGES

FACTORY ASSEMBLED

DGXL-5



FLINT GREY

COLORS

SIZES

TEMPLE TIPS

N/A

SIDE SHIELD FEATURES

FLINT GREY

58/17-150

PSS-45 IN CLEAR OR SMOKE

WIDE FIT FOR LARGER FACES **FACTORY ASSEMBLED** SPRING HINGES

PPG2 Frames - Priced at \$92.00

SIZE"

i) MODEL 7000

- Cellulose Acetate
- Standards: ANSI Z87.1 CSA Z94.3 (7000P only)

REMOVABLE SIDE SHIELD ORDER 7000R PERMANENT SIDE SHIELD ORDER 7000P







- Cellulose Acetate
- Standards: ANSI Z87.1 CSA Z94.3 (7001P only)

REMOVABLE SIDE SHIELD ORDER 7001R PERMANENT SIDE SHIELD ORDER 7001P



55.00

57.00

0

33.90

33.90

0

58.20

60.00

X

16

16





140

145




MODEL 7003


- · Stainless Steel / TR
- Standards: ANSI Z87.1 CSA Z94.3 (7003P only)

......

REMOVABLE SIDE SHIELD ORDER 7003R **PERMANENT SIDE SHIELD ORDER 7003P**







- · Stainless Steel / Cellulose Acetate
- Standards: ANSI Z87.1 CSA Z94.3 (7008P only)

REMOVABLE SIDE SHIELD ORDER 7008R
PERMANENT SIDE SHIELD ORDER 7008P





SIZE	53-17-1	35		ntninin
\bigcirc		\oslash	x	
53.00	33.70	56.60	17	135



- · Stainless Steel / Cellulose Acetate
- Standards: ANSI Z87.1 CSA Z94.3 (7009P only)

......

REMOVABLE SIDE SHIELD ORDER 7009R
PERMANENT SIDE SHIELD ORDER 7009P





SIZE	52-17-1	35		nlululu
\bigcirc		\bigcirc	x	
52.00	33.00	55.80	17	135

MODEL 7010

- · Stainless Steel / Cellulose Acetate
- Standards: ANSI Z87.1 CSA Z94.3 (7010P only)

REMOVABLE SIDE SHIELD ORDER 7010R
PERMANENT SIDE SHIELD ORDER 7010P







SIZE	52-17-1	35		111111111
\bigcirc		\bigcirc	n	
52.00	33.00	54.60	17	135

- · Stainless Steel / Cellulose Acetate
- · Small head fit
- · Standards: ANSI Z87.1

REMOVABLE SIDE SHIELD ORDER 7017R
PERMANENT SIDE SHIELD ORDER 7017P



Z87-2+H frame for smaller head fit

1	1
GREEN	PURPLE

......

MODEL 7018

- · Cellulose Acetate
- · Standards: ANSI Z87.1 · CSA Z94.3 (7018P only)

•------

REMOVABLE SIDE SHIELD ORDER 7018R
PERMANENT SIDE SHIELD ORDER 7018P





SIZE	54-15-135			nliiliilii	
\bigcirc		\bigcirc	X		
54.00	35.60	56.60	15	135	

(i) MODEL 7105

- · Cellulose Acetate
- Standards: ANSI Z87.1 CSA Z94.3 (7105P only)

......

.....

REMOVABLE SIDE SHIELD ORDER 7105R
PERMANENT SIDE SHIELD ORDER 7105P







SIZE	53-16-138			ntntntn	
\bigcirc		\bigcirc	x		
53.00	35.90	56.20	16	138	

DC-1



COLORS SIZES TEMPLE TIPS SIDE SHIELD FEATURES

BLACK BROWN SLATE

54/17-147 57/17-147 N/A

PSS-45 IN CLEAR OR SMOKE SPRING HINGES PLASTIC TEMPLES

DEEPER B MEASUREMENT

DG-101





SLATE

MAGENTA FADE

COLORS

SIZES

52/16-145

55/16-145

N/A

TEMPLE TIPS SIDE SHIELD FEATURES

FACTORY ASSEMBLED

PSS-45 IN CLEAR

OR SMOKE

ADJUSTABLE NOSE PADS SPRING HINGES

DG-104

ESPRESSO BROWN

MAGENTA FADE

ROYAL BLACK



BROWN

COLORS BLACK

SIZES

53/17-145

56/17-150

TT-12a

TEMPLE TIPS SIDE SHIELD FEATURES

PSS-25

IN CLEAR

OR SMOKE

MATTE FINISH UNIQUE DUAL COLOR DESIGN

SPRING HINGES

FACTORY ASSEMBLED

DGXL-3

MATTE BROWN



BLACK

COLORS

SIZES

TEMPLE TIPS

SIDE SHIELD FEATURES

58/18-155

TT-12a

PSS-12 IN CLEAR OR SMOKE WIDE FIT FOR LARGER FACES **DUAL COLOR/ SPRING HINGES FACTORY ASSEMBLED**

BLACK METALLIC BROWN

DGXL-7



BROWN

COLORS SIZES TEMPLE TIPS SIDE SHIELD FEATURES

BLACK

58/17-150 TT-12a

PSS-25 IN CLEAR OR SMOKE WIDE FIT FOR LARGER FACES STYLISH TWO-TONE FRONT

SPRING HINGES FACTORY ASSEMBLED

DR-1



BROWN

COLORS SIZES TEMPLE TIPS SIDE SHIELD FEATURES

BLACK BROWN SLATE 54/17-147 57/17-147 N/A

PSS-45 IN CLEAR OR SMOKE RIMLESS DESIGN WITH HUD-SAFETY CORD SPRING HINGES/PLASTIC TEMPLES

DEEPER B MEASUREMENT

DR-2



BLACK

COLORS SIZES TEMPLE TIPS SIDE SHIELD FEATURES

BLACK BROWN SLATE

52/17-147 55/17-147 N/A

PSS-45 IN CLEAR OR SMOKE RIMLESS DESIGN WITH HUD-SAFETY CORD SPRING HINGES/PLASTIC TEMPLES

DEEPER B MEASUREMENT

PPG3 Frames - Priced at \$102.00


1 MODEL 7100

- · Stainless Steel
- Standards: ANSI Z87.1 CSA Z94.3 (7100P only)

REMOVABLE SIDE SHIELD ORDER 7100R
PERMANENT SIDE SHIELD ORDER 7100P








MODEL 7103

- · Stainless Steel
- Standards: ANSI Z87.1 CSA Z94.3 (7103P only)

REMOVABLE SIDE SHIELD ORDER 7103R
PERMANENT SIDE SHIELD ORDER 7103P







(i) MODEL 7107

- · Stainless Steel
- Standards: ANSI Z87.1 CSA Z94.3 (7107P only)

REMOVABLE SIDE SHIELD ORDER 7107R
PERMANENT SIDE SHIELD ORDER 7107P





SIZE	48-21-145			nlululu
$\overline{\bigcirc}$		\bigcirc	x	
48.00	41.00	51.50	21	145

i MODEL 7108

- · Stainless Steel
- · Standards: ANSI Z87.1 · CSA Z94.3 (7108P only)

.....

REMOVABLE SIDE SHIELD ORDER 7108R
PERMANENT SIDE SHIELD ORDER 7108P





SIZE	60-17-140			ntulutu
\bigcirc		Ø	x	
60.00	36.40	64.00	17	140